

THE JOURNAL OF JAPANESE BOTANY

Vol. 91 Supplement

Centennial Memorial Issue

植物研究雑誌

第91巻（創刊100周年記念号）

December 2016

発行日付 Dates of Issues

Page

Date

1-422

December 23, 2016

編集委員 Members of Editorial Board

大橋 広好 (Hiroyoshi OHASHI)

代表委員 Editor-in-Chief

橋 本 和 則	(Kazunori HASHIMOTO)	樋 口 正 信	(Masanobu HIGUCHI)
池 田 博	(Hiroshi IKEDA)	門 田 裕 一	(Yuichi KADOTA)
金 井 弘 夫	(Hiroo KANAI)	柏 谷 博 之	(Hiroyuki KASHIWADANI)
邑 田 仁	(Jin MURATA)	永 益 英 敏	(Hidetoshi NAGAMASU)
中 田 政 司	(Masashi NAKATA)	根 本 智 行	(Tomoyuki NEMOTO)
大 場 秀 章	(Hideaki OHBA)	折 原 裕	(Yutaka ORIHARA)
指 田 豊	(Yutaka SASHIDA)	田 中 次 郎	(Jiro TANAKA)
寺 林 進	(Susumu TERABAYASHI)	米 倉 浩 司	(Koji YONEKURA)

Tsumura Laboratory

Tsumura & Co., Tokyo

植物研究雑誌 第 91 巻 創刊 100 周年記念号 (2016 年) 著者名索引

(配列順序は日本語読みで五十音順とする)

Ahmed I.	→ Nguyen V. D.	
秋田晋吾	→ 鈴木秀和	
秋山 忍	→ 大場秀章	
Ahti T., Sohrabi M., Davydov E. A., Pino-Bodas R., Stenroos S. : アジア産ハナゴケ属 (ハナゴケ科, 子囊菌門) の分類ノート		388
Ahn C.	→ 文 光喜	
Aung M. M.	→ 田中伸幸	
池上文雄	→ 渡辺 均	
池田 博, 清水晶子, 中村陽一: 東京大学植物標本室 (TI) から見い出された牧野富太郎の写真		46
伊藤卓朗	→ 仲田崇志	
岩槻邦男: アジア産シダ植物の研究 3		330
吳 信毅	→ 吳 明洲	
吳 徳邻	→ 根本智行	
吳 明洲, 黄 増泉, 劉 嘉卿, 陳 彦叡, 張 永聖, 許 家倫, 吳 信毅, 曾 艾翊, 章 尹楨, 劉 澄娟, Kaewmuan A. : マレーシア地域のミカンソウ属 (ミカンソウ科) の花粉形態と分類		257
上野雄規: 日本固有種フサタヌキモ (タヌキモ科) の分布と現在の生育地		314
Wong S. Y., Boyce P. C. : ボルネオ産 <i>Schismatoglottideae</i> 連 (サトイモ科) の研究 LI— <i>Ooia grabowskii</i> の見直しを含む <i>Ooia</i> 属の再検討 —		138
黄 増泉	→ 吳 明洲	
黄 麗麗	→ 趙 中振	
大井・東馬哲雄	→ 田中伸幸	
大場秀章: 『植物研究雑誌』の創刊と発展を支えた人々		24
——, 秋山 忍: カキノキ科カキノキ類論説		293
大橋広好: まえがき		1
——: 『植物研究雑誌』の歴史		3
——, 大橋一品: マメ科ヤブマメ属の分類, 特に花粉形態に基づく <i>Shuteria</i> との関連		231
——	→ 根本智行	
大橋一品	→ 大橋広好	
柏谷博之	→ 文 光喜	
加藤僊重: 牧野富太郎先生が立ち上げた『植物研究雑誌』と植物同好会		16
門田裕一: 日本産キンバイソウ属 (キンポウゲ科) の分類学的再検討		178
Kilian N.	→ 張 建文	
Nguyen V. D., Matthews P. J., Ahmed I., Nguyen C. S. : ベトナム新産の <i>Colocasia yunnanensis</i> (サトイモ科)		168
Nguyen C. S.	→ Nguyen V. D.	
郭 平	→ 趙 中振	
Grabovskaya-Borodina A. : ロシアの植物学者 C. J. Maximowicz と日本: ロシア科学アカデミー・コマロフ植物研究所の日本植物コレクション		54
Crane P. R.	→ 長田敏行	
Kaewmuan A.	→ 吳 明洲	
小林禧樹: テンナンショウ属の研究ノート—発芽第一葉, 胚珠数, 染色体数と分類—		128
指田 豊: 朝比奈泰彦先生と『植物研究雑誌』		50
島袋寛盛: 日本における褐藻ホンダワラ属分類の一世紀の歩み		364

清水晶子	→ 池田 博	
Schanzer I. A. : nrITS マーカーに基づくシモツケソウ属 (バラ科バラ亜科) の東アジア産固有種の系統関係		250
許 家倫	→ 吳 明洲	
Jin D.-P.	→ Choi I.-S.	
新藤 聡	→ 渡辺 均	
Souliya O.	→ 張 建文	
鈴木秀和, 宮内麻由美, 秋田晋吾, 南雲 保, 田中次郎 : 本邦沿岸からの海産管棲珪藻の 1 新種, <i>Parlibellus latirostris</i> (珪藻綱)		355
Stuessy T. F.	→ 高山浩司	
Stenroos S.	→ Ahti T.	
Suleiman M.	→ 古木達郎	
孫 航	→ 張 建文	
Sohrabi M.	→ Ahti T.	
Sun B.-Y.	→ 高山浩司	
Davydov E. A.	→ Ahti T.	
高橋英樹, Barkalov V. Yu. : 中千島ウシシル島の維管束植物相研究		68
高山浩司, Sun B.-Y., Stuessy T. F. : 韓国鬱陵島固有植物の遺伝的多様性と種分化		83
田中次郎	→ 鈴木秀和	
田中伸幸, 大井・東馬哲雄, 邑田裕子, Aung M. M., 邑田 仁 : ミャンマー植物についての新知見 (9)		99
種子田春彦	→ 長田敏行	
Choi I.-S., Jin D.-P., Choi B.-H. : マメ科ナルトオウギ <i>Astragalus sikokianus</i> の分類と分布		217
Choi B.-H.	→ Choi I.-S.	
陳 彦叡	→ 吳 明洲	
陳 虎彪	→ 趙 中振	
趙 中振, 陳 虎彪, 郭 平, 梁 之桃, Brand E., 黄 麗麗 : 中薬の選品技術の継承と発展のための基盤の確立		412
章 尹禎	→ 吳 明洲	
張 建文, Kilian N., 鄧 涛, Souliya O., 孫 航 : <i>Melanoseris henryi</i> (キク科タンポポ連) の再検討 : ラオスのフロラへの新記録およびその系統的位置		112
張 永聖	→ 吳 明洲	
曾 艾翊	→ 吳 明洲	
寺林 進 : 日本薬局方収載生薬の基原植物の学名について		418
鄧 涛	→ 張 建文	
富田 勝	→ 仲田崇志	
鳥羽太陽	→ 長田敏行	
仲田崇志, 伊藤卓朗, 富田 勝 : 群性性オオヒゲマワリ系統 (緑藻綱, オオヒゲマワリ目, テトラバエナ科・ヒラタヒゲマワリ科・オオヒゲマワリ科) および近縁種の 18S リボソーム RNA 遺伝子系統		345
長田敏行, 長谷部光泰, 鳥羽太陽, 種子田春彦, Crane P. R. : イチョウ (イチョウ科) における性転換		120
中村陽一	→ 池田 博	
南雲 保	→ 鈴木秀和	
根本智行, 大橋広好, 吳 徳郊 : マメ科ジャケツイバラ亜科カワラケツメイ属 <i>Chamaecrista mimosoides</i> および <i>C. nomame</i> における葉の解剖および発生		201
橋本和則 : 牧野富太郎博士とツムラ創業者津村重舎との約束—『植物研究雑誌 The Journal of Japanese Botany』創刊 100 周年—		42
長谷部光泰	→ 長田敏行	

Barkalov V. Yu.	→ 高橋英樹	
韓 定殷	→ 文 光喜	
樋口正信：アジア産ラッコゴケ属（ハイゴケ科，セン植物門）の分類ノート		335
Pino-Bodas R.	→ Ahti T.	
Brand E.	→ 趙 中振	
古木達郎，Suleiman M.：マレーシア・ボルネオ島産タイ植物門ヒシャクゴケ科の新種 <i>Diplophyllum kinabaluense</i>		340
Boyce P. C.	→ Wong S. Y.	
Matthews P. J.	→ Nguyen V. D.	
松原紀嘉	→ 渡辺 均	
Mabberley D. J.：Van Rheedee の Hortus Malabaricus（1678–1693 年）中唯一不明のまま残された <i>Rumphia</i> の正体		326
宮内麻由美	→ 鈴木秀和	
邑田 仁	→ 田中伸幸	
邑田裕子	→ 田中伸幸	
文 光喜，Ahn C.，韓 定殷，柏谷博之：韓国産カラタチゴケ属の 2 新種（カラタチゴケ科，子囊菌門）		376
Rajbhandari K. R.：中央ネパール・ムスタン地域から見いだされたイネ科イチゴツナギ属の一新種		175
劉 嘉卿	→ 吳 明洲	
劉 澄娟	→ 吳 明洲	
梁 之桃	→ 趙 中振	
渡辺 均，新藤 聡，松原紀嘉，池上文雄：薬園から学ぶ漢方生薬の国産化—薬用植物の効率的栽培とその将来性—		396

Author Name Index

The Journal of Japanese Botany Vol. 91 Supplemnt (2016)

AHMED Ibrar	→ NGUYEN Van Du	
AHN Chorong	→ MOON Kwang Hee	
AHTI Teuvo, SOHRABI Mohammad, DAVYDOV Evgeny A., PINO-BODAS Raquel and STENROOS Soili: Taxonomic Notes on Asian Species of <i>Cladonia</i> (<i>Cladoniaceae</i> , <i>Ascomycota</i>)		388
AKITA Shingo	→ SUZUKI Hidekazu	
AKIYAMA Shinobu	→ OHBA Hideaki	
AUNG Mu Mu	→ TANAKA Nobuyuki	
BARKALOV Vyacheslav Yu.	→ TAKAHASHI Hideki	
BOYCE Peter C.	→ WONG Sin Yeng	
BRAND Eric	→ ZHAO Zhongzhen	
CHANG Yin-Chen	→ WU Ming-Jou	
CHANG Yung-Sheng	→ WU Ming-Jou	
CHEN Hubiao	→ ZHAO Zhongzhen	
CHEN Yeng-Juei	→ WU Ming-Jou	
CHOI Byoung-Hee	→ CHOI In-Su	
CHOI In-Su, JIN Dong-Pil and CHOI Byoung-Hee: A Taxonomic Study of <i>Astragalus sikokianus</i> with a		

Disjunct Distribution between Northwestern China and the Korea-Japan Region	217
CRANE Peter R. → NAGATA Toshiyuki	
DAVYDOV Evgeny A. → AHTI Teuvo	
DENG Tao → ZHANG Jian-Wen	
FURUKI Tatsuwo and SULEIMAN Monica: <i>Diplophyllum kinabaluense</i> (Scapaniaceae, Marchantiophyta), sp. nov. from Mt. Kinabalu, Malaysian Borneo	340
GRABOVSKAYA-BORODINA Alisa: Russian Botanist Carl Johann Maximowicz in Japan: Japanese Herbarium Collection in the Komarov Botanical Institute of the Russian Academy of Sciences (LE)	54
GUO Ping → ZHAO Zhongzhen	
HAN Jeong Eun → MOON Kwang Hee	
HASEBE Mitsuyasu → NAGATA Toshiyuki	
HASHIMOTO Kazunori: A Promise between Tomitaro Makino and Jusha Tsumura—On the Occasion of <i>The Journal of Japanese Botany</i> Centennial Anniversary—	42
HIGUCHI Masanobu: Taxonomic Notes on <i>Gollania</i> (Hypnaceae, Bryophyta) in Asia	335
HSU Chia-Lun → WU Ming-Jou	
HUANG Tseng-Chieng → WU Ming-Jou	
IKEDA Hiroshi, SHIMIZU Akiko and NAKAMURA Yoichi: Discovery of Dr. Tomitaro Makino's Portrait in the Herbarium of the University of Tokyo (TI)	46
IKEGAMI Fumio → WATANABE Hitoshi	
ITO Takuro → NAKADA Takashi	
IWATSUKI Kunio: Studies on Asian Ferns 3	330
JIN Dong-Pil → CHOI In-Su	
KADOTA Yuichi: A Revision of the Genus <i>Trollius</i> (Ranunculaceae) in Japan	178
KAEWMUAN Anusara → WU Ming-Jou	
KASHIWADANI Hiroyuki → MOON Kwang Hee	
KATO Nobushige: On the Relationship of <i>The Journal of Japanese Botany</i> Which Was Begun by Dr. Tomitarô Makino and the Activity of the Plant Lovers' Clubs	16
KILIAN Norbert → ZHANG Jian-Wen	
KOBAYASHI Tomiki: Research Notes on Japanese <i>Arisaema</i> (Araceae)—Its Taxonomy with Special Reference to Plumular Leaf, Number of Ovules per Ovary, and Chromosome Numbers—	128
LIANG Zhitao → ZHAO Zhongzhen	
LIU Cheng-Chuan → WU Ming-Jou	
LIU Chia-Chin → WU Ming-Jou	
MABBERLEY David J.: On the Identity of <i>Rumphia</i> L., the Last Remaining Puzzle in Van Rheede's <i>Hortus Malabaricus</i> (1678–1693)	326
MATSUBARA Kiyoshi → WATANABE Hitoshi	
MATTHEWS Peter J. → NGUYEN Van Du	
MIYAUCHI Mayumi → SUZUKI Hidekazu	
MOON Kwang Hee, AHN Chorong, HAN Jeong Eun and KASHIWADANI Hiroyuki: Two New Species of <i>Ramalina</i> (Ramilinaceae, Ascomycota) from Korea	376
MURATA Hiroko → TANAKA Nobuyuki	
MURATA Jin → TANAKA Nobuyuki	
NAGATA Toshiyuki, HASEBE Mitsuyasu, TORIBA Taiyo, TANEDA Haruhiko and CRANE Peter R.: Sex Conversion in <i>Ginkgo biloba</i> (Ginkgoaceae)	120
NAGUMO Tamotsu → SUZUKI Hidekazu	

NAKADA Takashi, ITO Takuro and TOMITA Masaru: 18S Ribosomal RNA Gene Phylogeny of a Colonial Volvoclean Lineage (<i>Tetrabaenaceae-Goniaceae-Volvocaceae</i> , <i>Volvocales</i> , <i>Chlorophyceae</i>) and Its Close Relatives	345
NAKAMURA Yoichi → IKEDA Hiroshi	
NEMOTO Tomoyuki, OHASHI Hiroyoshi and WU Te-Lin: Anatomy and Development of Leaves in <i>Chamaecrista mimosoides</i> and <i>C. nomame</i> (<i>Leguminosae-Caesalpinioideae</i>)	201
NGUYEN Cong Sy → NGUYEN Van Du	
NGUYEN Van Du, MATTHEWS Peter J., AHMED Ibrar and NGUYEN Cong Sy: <i>Colocasia yunnanensis</i> (<i>Araceae</i>), a New Record for the Flora of Vietnam	168
OHASHI Hiroyoshi: Foreword	1
——: History of <i>The Journal of Japanese Botany</i>	3
—— and OHASHI Kazuaki: A Taxonomic Revision of <i>Amphicarpea</i> (<i>Leguminosae</i>) Including a Pollen Morphological Comparison with <i>Shuteria</i>	231
—— → NEMOTO Tomoyuki	
OHASHI Kazuaki → OHASHI Hiroyoshi	
OHBA Hideaki: The People Who Supported <i>The Journal of Japanese Botany</i> Launched by Tomitaro Makino	24
—— and AKIYAMA Shinobu: A Review of <i>Diospyros kaki</i> and Its Allied Species (<i>Ebenaceae</i>)	293
OHI-TOMA Tetsuo → TANAKA Nobuyuki	
PINO-BODAS Raquel → AHTI Teuvo	
RAJBHANDARI Keshab Raj: A New Species of <i>Poa</i> (<i>Poaceae</i>) from Mustang, Central Nepal	175
SASHIDA Yutaka: Professor Asahina and <i>The Journal of Japanese Botany</i>	50
SCHANZER Ivan Alekseyevich: Phylogenetic Relationships of East Asian Endemic Species of <i>Filipendula</i> (<i>Rosaceae-Rosoideae</i>) as Revealed by nrITS Markers	250
SHIMABUKURO Hiromori: A Centenary Progress of the Taxonomy in the Genus <i>Sargassum</i> (Brown Algae) in Japan by Japanese Phycologists	364
SHIMIZU Akiko → IKEDA Hiroshi	
SHINDO Satoshi → WATANABE Hitoshi	
SOHRABI Mohammad → AHTI Teuvo	
SOULIYA Onevilay → ZHANG Jian-Wen	
STENROOS Soili → AHTI Teuvo	
STUESSY Tod Falor → TAKAYAMA Koji	
SULEIMAN Monica → FURUKI Tatsuwo	
SUN Byung-Yun → TAKAYAMA Koji	
SUN Hang → ZHANG Jian-Wen	
SUZUKI Hidekazu, MIYAUCHI Mayumi, AKITA Shingo, NAGUMO Tamotsu and TANAKA Jiro: A New Marine Tube-Dwelling Diatom <i>Parlibellus latirostris</i> (<i>Bacillariophyceae</i>) from Japan	355
TAKAHASHI Hideki and BARKALOV Vyacheslav Yu.: A Floristic Study of Vascular Plants in Ushishir, the Middle Kuril Islands.....	68
TAKAYAMA Koji, SUN Byung-Yun and STUESSY Tod Falor: Genetic Consequences of Anagenetic Speciation in Endemic Angiosperms of Ullung Island, Korea	83
TANAKA Jiro → SUZUKI Hidekazu	
TANAKA Nobuyuki, OHI-TOMA Tetsuo, MURATA Hiroko, AUNG Mu Mu and MURATA Jin: New or Noteworthy Plant Collections from Myanmar (9) <i>Agapetes</i> (<i>Ericaceae</i>) from Northwestern Myanmar	99
TANEDA Haruhiko → NAGATA Toshiyuki	
TERABAYASHI Susumu: Scientific Name of Original Plants of Crude Drugs Described in the Japanese	

Pharmacopoeia (JP)	418
TOMITA Masaru → NAKADA Takashi	
TORIBA Taiyo → NAGATA Toshiyuki	
TSENG Ai-Yi → WU Ming-Jou	
UENO Yuki: Distribution and Present Habitats of an Endemic Species <i>Utricularia dimorphantha</i> (<i>Lentibulariaceae</i>)	314
WATANABE Hitoshi, SHINDO Satoshi, MATSUBARA Kiyoshi and IKEGAMI Fumio: Domestic Production of Kampo Herbal Medicines in Medicinal Plant Gardens during the Edo Period—Efficient Cultivation and the Future Potential of Medicinal Plants in Japan—	396
WONG Lailai → ZHAO Zhongzhen	
WONG Sin Yeng and BOYCE Peter C.: Studies on <i>Schismatoglottideae</i> (<i>Araceae</i>) of Borneo LI: <i>Ooia</i> Revised, Including a Reconsideration of <i>Ooia grabowskii</i>	138
WU Ming-Jou, HUANG Tseng-Chieng, LIU Chia-Chin, CHEN Yeng-Juei, CHANG Yung-Sheng, HSU Chia- Lun, WU Shin-Yi, TSENG Ai-Yi, CHANG Yin-Chen, LIU Cheng-Chuan and KAEWMUAN Anusara: Pollen Morphology and Taxonomy in Malesian <i>Phyllanthus</i> (<i>Phyllanthaceae</i>)	257
WU Shin-Yi → WU Ming-Jou	
WU Te-Lin → NEMOTO Tomoyuki	
ZHANG Jian-Wen, KILIAN Norbert, DENG Tao, SOULIYA Onevilay and SUN Hang: <i>Melanoseris henryi</i> (<i>Asteraceae-Cichorieae</i>) Revisited: A New Record of Genus and Species from the Flora of Lao PDR with Its Systematic Position	112
ZHAO Zhongzhen, CHEN Hubiao, GUO Ping, LIANG Zhitao, BRAND Eric and WONG Lailai: Establishment of Platforms to Facilitate the Inheritance and Innovation of Chinese Medicinal Authentication	412

植物研究雑誌 第91巻 創刊100周年記念号 (2016年) 植物名索引

新名と新組み合わせはゴシック体で示し、それらが発表されている頁に*を付した。

この索引は『植物研究雑誌』第91巻(創刊100周年記念号)(2016年)に出てくる和名の出現頁を示したものである。
本索引は米倉浩司によって作成された。

ア		ウコン	399	オニバス	320
アオオニテンナンショウ	133	ウスバサイシン	399	オハツキイチョウ	127
アオテンナンショウ	129, 133, 134	ウスバモク	369	オヒルムシロ	318
アカショウビン	318	ウミトラノオ	367, 373	オモゴウテンナンショウ	133
アカハナワラビ	19	ウメ	399	オールドガキ	293
アカメガシワ	399	ウヤク	399		
アカモク	365	ウラシマソウ	132, 133, 135, 136	カ	
アキヨレモク	370	ウラシマソウ節	132, 134	カキ	399
アケビ	421	ウワジマテンナンショウ		カギカズラ	399
アサ	419		129, 132, 133, 135	カキノキ	
アサガオ	399				293-296, 299, 302, 304, 311
アジサイ	51	エ		カキノキ節	293
アブラガキ	302, 304	エゾノシモツケソウ	256	カキノキ属	293, 294, 296, 299, 302
アマギアマチャ	32	エチゴネジモク	370	褐藻	364
アマギテンナンショウ	131-133	エヒメテンナンショウ	133	カナリウム属	329
アマチャ	32	エンゴサク	399	カハゴケソウ	5
アマミテンナンショウ	133	エンジュ	399	カラスビシャク	399, 419
アマミテンナンショウ節	132, 134			カラタチ	399
アメリカガキ	294	オ		カラタチゴケ属	386, 387
アルタイキンバイソウ	200	オウレン	399	カラトウキ	401
淡路毛犬枇杷	22	オオアマミテンナンショウ	133	カラフトキンバイソウ	194, 200
アンズ	399, 419	オオタヌキモ	314, 320	カリン	399
		オオツヅラフジ	419	ガロアムシ	36
イ		オオバコ	399	カワラケツメイ	216
イカリソウ属	10	オオバナオケラ	421	カワラケツメイ属	216
イシヅチテンナンショウ	132, 133	オオヒゲマワリ	354	カワラヨモギ	399, 419
イズモサイシン	13	オオブカトウキ	402	カンアオイ	6
イチゴツナギ属	177	オオマムシグサ	132, 133	カンアオイ属	10
イチョウ	127, 294	オオミネテンナンショウ	132, 133	カンアフヒ	10
イチョウダケ	5	オガタテンナンショウ	132-134	カンガレイ	318
イトヒメハギ	399	オキナワシキミ	22	カントウマムシグサ	133
イナヒロハテンナンショウ		オキノシマテンナンショウ	129, 130		
	131, 133, 134	オグラノフサモ	318	キ	
イヌタヌキモ	314, 316	オケラ	399, 421	キカラスウリ	399
イヌトウキ	402	オタネニンジン		キキョウ	399, 419
イノコヅチ	399		398, 399, 405-411, 419	キク	399
		オドリコテンナンショウ		キササゲ	399
ウ			132, 133, 135	キタキンバイソウ	194, 200
ウイキョウ	399	オニシモツケ	256	キダチウマノスズクサ	421
ウコギ	399	オニノヤガラ	399	キタホロムイイチゴ	82

キハダ	399	サンシュユ	399	ソウヤキンバイソウ	181*, 199, 200
ギフチョウ	318	サンショウ	399	ソウヤキンバイソウ節	199*
ギボウシ属	48				
キリガミネキンバイソウ	188, 200	シ		タ	
キリシマテンナンショウ	133	ジギタリス	399	ダイオウ	399
キレバモク	369	シコクシモツケソウ	256	ダイダイ	399
キンバイソウ	188, 199, 200	シコクテンナンショウ	133	タイワンシモツケソウ	256
キンバイソウ節	200	シコクヒロハテンナンショウ		タカネジャコウソウ	4
キンバイソウ属	199		133, 134	タカハシテンナンショウ	129-135
		シソ	399	タシロテンナンショウ	133
ク		シダ	8, 10, 17, 334	タヌキノシヨクダイ	7
クコ	399	シナノガキ		タヌキモ	314, 320
クチナシ	399	293-296, 299, 302, 304, 306, 311		タヌキモ属	314, 320
クララ	399	シナノキンバイ	178, 196, 200	タマエダモク	370
クワ	399	シナノキンバイソウ	196, 199, 200	タムシバ	421
		シナノキンバイソウ節	199		
ケ		シマウラモク	371	チ	
ケイガイ	419	シマテンナンショウ	132, 133, 135	チイサンシモツケソウ	256
		シモツケソウ	256	チクセツニンジン	399
コ		シモツケソウ属	256	チシマスゲ	82
コウホネ	316	シャクヤク	399	チシマノキンバイソウ	194, 199, 200
コウヤグミ	22	ジャノヒゲ	399, 419, 420	チュラシマモク	371
コウライテンナンショウ	133, 135	ジャノヒゲ属	13	チョウセンアサガオ	399
コガキ	295	ジュンサイ	318	チョウセンダイオウ	52
コケ	7, 8	シロコオイゴケ属	344	チョウセンハリモミ	4
ゴシュユ	399	シロハラ	136		
コタヌキモ	320			ツ	
コナフキモク	371	ス		ツエハナゴケ	395
コナミドリムシ	354	スイバ	48	ツクシポドステモン	5
コナミドリムシ属	354	スイレン	319	ツクシマムシグサ	133
コバギボウシ	48	スギ	134, 316	ツバキ	294
コブクロモク	369	スゲ属	48	ツルギテンナンショウ	133
コブシ	399, 421	スズメノカタビラ	177	ツルコケモモ	111, 320
コミカンソウ属	291, 292	スルガテンナンショウ	133	ツルヨシ	318
サ		セ		テ	
ザクロ	399	セイロンニッケイ	399	テシオキンバイソウ	184*, 199, 200
サジオモダカ	399	セツピコテンナンショウ		テシオコザクラ	5
サツマイモ	398	128, 129, 131-135		テンナンショウ	128, 129, 131, 135
サトイモ属	174	センキュウ	399, 421	テンナンショウ属	128-136
サトウキビ	398	センニンソウ	6		
サネブトナツメ	399	センブリ属	7	ト	
サラシナショウマ	399, 420, 421			トウキ	399, 401-404, 410, 421
サルカキ	296	ソ		トカチトウキ	402
サルガキ	295	ソウギョ	318	トキワガキ	293

トクノシマテンナンショウ		ヒ		ボタンボウフウ	402
	129, 132, 133	ヒイラギモク	371	ホッカイトウキ	401-404, 421
トゲミモク	371	ヒガンナムシグサ	128-136	ホッカイモク	371
トサカモク	371	ヒグマアミガサタケ	6	ホロテンナンショウ	131-134
トダスゲ	48	ヒシ	316, 318, 319	ホンアンズ	419
トチュウ	399	ヒジキ	364	ホンダワラ	364, 373
トモアオネカズラ	334	ヒダカキンバイソウ	195, 200	ホンダワラ属	364-373
トリカブト	399	ヒトツバテンナンショウ	133, 134		
		ピパイロキンバイソウ	195, 200	マ	
ナ		ヒメウラシマソウ	22	マイヅルテンナンショウ	133
ナガバマサキ	22	ヒメウラシマソウ	132, 133	マオウ	399
ナガバナムシグサ	129-133, 135	ヒメクロマメノキ	82	マコモ	318, 319
ナガミモク	371	ヒメタヌキモ	320	マコンブ	364
ナギヒロハテンナンショウ		ヒメレンゲゴケ	395	マサキ	22
	129, 131-133	ヒュウガヒロハテンナンショウ		マジリモク	369
ナツメ	399		133, 134	マノセカワゴケソウ	5
ナルトオウギ	229	ヒヨドリ	135, 136	マムシグサ	134, 135
ナンキモク	370	ヒラミモク	371	マムシグサ節	132, 134, 136
ナンゴクウラシマソウ	135	ヒルムシロ属	40	マメガキ	
		ヒロハテンナンショウ	131-134		293-296, 299, 302, 304, 309, 311
ニ		フ		マルバノサワトウガラシ	319
ニッコウギンギシ	22	フウチョウゴケ属	339	マンシュウオウギ	399
ニワトコ	399	フクレミモク	369	ミ	
ネ		フサタヌキモ	314-316, 318-323	ミクリ	319
ネマガリダケ	131	フタエモク	371	ミシマサイコ	399, 400
		ブドウガキ	295, 296	ミズゴケ	320
ノ		フトガキ	294, 296	ミズトラノオ	319
ノウルシ	48	ブナ	386	ミツデウラボシ属	334
ノガリヤス属	6			ミツバアケビ	418, 421
		ヘ		ミツバテンナンショウ	132-135
ハ		ベニバナ	399	ミミカキグサ	319
ハイマツ	386	ヘラナラサモ	371	ミミガタテンナンショウ	
バイモ	399				129-133, 135
ハウチワテンナンショウ	129-131	ホ		ミヤマカキ	296
ハクモクレン	421	ボウフウ	399	ミヤマトウキ	401-404
ハチジョウテンナンショウ	131-133	ホオノキ	400		
ハッカ	399	ホザキイカリソウ	399	ム	
ハナゴケ属	395	ホソバオケラ	399	ムサシアブミ	132-134, 136
ハナスゲ	399	ホソバテンナンショウ	133, 135	ムサシアブミ亜節	134
ハナワラビ属	19	ホソバトウキ	402	ムラサキ	399
ハマボウフウ	397	ボタンキンバイ	187	ムロウテンナンショウ	133-136
ハリマナムシグサ	128-135	ボタンキンバイソウ	187, 200	ムロウナムシグサ	
		ボタンキンバイソウ節	200		129, 133, 135, 136
		ボタンザキキンバイソウ	187		

メ		ヤマザトマムシグサ	131	ラ	
メギ	399	ヤマトテンナンショウ	132, 133	ラウススゲ	82
メタセコイア	7	ヤマトトウキ	402	ラッコゴケ属	339
		ヤマドリ	135, 136		
モ		ヤマモモ	399	リ	
モモ	399, 419			リュウキュウマメガキ	296, 299
		ユ		リンドウ	399
ヤ		ユキツバキ	8		
ヤシャブシ	6	ユキモチソウ	133	レ	
ヤチコタヌキモ	314	ユモトマムシグサ	132–135	レブンキンバイソウ	192, 199, 200
ヤツマタモク	368				
ヤナギ	319	ヨ		ワ	
ヤナギ属	132	ヨシ	48, 316, 318, 319	ワカメ	364
ヤブマメ	249	ヨシナガマムシグサ	129–131	ワタスゲ	320
ヤブマメ属	249	ヨモギ	399		
ヤマガキ	293, 294, 296, 299, 304	ヨレモクモドキ	370		

Scientific Names

New names and combinations are shown in bold type, and pages where they are published are indicated with “*”.

This index contains all scientific names on or below generic rank appeared in the Supplement of The Journal of Japanese Botany Volume **91** (2016). The index was edited by Koji Yonekura.

A		— <i>hillii</i>	99, 102, 104, 105, 107, 108, 111
<i>Acer</i>	85, 90	— <i>hosseana</i>	99, 102, 110
— <i>miyabei</i>	63	— <i>incurvata</i>	102
— <i>mono</i>	88, 89	— — var. <i>hookeri</i>	102, 111
— <i>okamotoanum</i>	88, 89	— — var. <i>incurvata</i>	111
— <i>pictum</i>	89	— <i>lacei</i>	102, 111
— <i>pseudosieboldianum</i>	88, 89	— <i>lobbii</i>	102, 105, 111
— <i>takesimense</i>	88, 89	— <i>mannii</i>	102, 111
— <i>tschonokii</i>	59	— <i>moorei</i>	102, 111
<i>Achillea alpina</i> subsp. <i>camtschatica</i>	73, 81	— <i>oblonga</i>	102, 111
— <i>ptarmica</i> subsp. <i>macrocephala</i>	81	— <i>odontocera</i>	100, 102, 104, 108, 111
<i>Aconitum maximum</i>	78	— <i>oxycoccoides</i>	99, 100, 102, 103, 104*, 105, 111
<i>Adansonia</i>	326	— <i>pentastigma</i>	99, 100, 102, 104, 105*, 106, 108, 111
<i>Adoxa</i>	10	— <i>putaoensis</i>	100
<i>Aeonium</i>	84	— <i>saligna</i>	102, 111
<i>Agapetes</i>	99, 100, 102, 104, 111	— <i>scortechinii</i>	99, 100, 102, 104, 111
— sect. <i>Pseudoagapetes</i>	104	— <i>serpens</i>	99, 102, 111
— aff. <i>miniata</i>	102, 111	— <i>setigera</i>	100, 102, 104, 105, 108, 109, 111
— aff. <i>pensilis</i>	102, 111	— <i>sikkimensis</i>	102, 104, 111
— <i>bracteata</i>	99, 104, 105	— <i>smithiana</i>	102, 111
— <i>brandisiana</i>	102, 110	— <i>thailandica</i>	102, 111
— <i>burmanica</i>	102, 107, 108, 110	— <i>variegata</i>	102, 111
— <i>buxifolia</i>	99, 102, 110	— <i>wardii</i> var. <i>heterotricha</i>	100
— <i>flava</i>	102, 110	<i>Agrostis mertensii</i>	78

<i>Ajugoides</i>	29	<i>Aridarum zygosetum</i>	143
<i>Akebia</i>	418	<i>Arisaema</i>	128, 133
—— <i>quinata</i>	421	—— subsect. <i>Pedatisecta</i>	132–134
—— <i>trifoliata</i>	418, 421	—— subsect. <i>Pistillata</i>	132–134
<i>Allium victorialis</i>	77	—— subsect. <i>Ringentia</i>	133, 134
<i>Alnus maximowiczii</i>	74, 79	—— sect. <i>Clavata</i>	133, 134
<i>Alopecurus alpinus</i>	78	—— sect. <i>Flagellarisaema</i>	133, 134
<i>Amphicarpa</i>	238	—— sect. <i>Pistillata</i>	128, 133, 134
—— <i>bracteata</i>	239	—— <i>aequinoctiale</i>	129, 130
—— <i>monoica</i>	238	—— <i>kawashimae</i>	130
<i>Amphicarpaea</i>	231, 232, 236, 238, 247, 249	—— <i>kishidae</i>	130
—— <i>africana</i>	231–234, 236, 246, 247, 249	—— var. <i>minus</i>	129, 130
—— <i>bracteata</i>	231–234, 236, 238, 239, 242, 246, 249	—— <i>kiusianum</i>	22
—— ——— subsp. <i>bracteata</i>	239	—— <i>limbatum</i>	129, 130
—— ——— subsp. <i>edgeworthii</i>	234, 239	—— ——— var. <i>aequinoctiale</i>	130
—— ——— var. <i>japonica</i>	241	—— ——— var. <i>conspicuum</i>	130
—— <i>comosa</i>	232	—— ——— var. <i>limbatum</i>	130
—— <i>edgeworthii</i>		—— ——— var. <i>stenophyllum</i>	130
—— ———	231, 232, 234–236, 238–240, 242, 246, 249	—— <i>minus</i>	129, 130
—— ——— f. <i>alba</i>	241	—— <i>nagiense</i>	131
—— ——— var. <i>japonica</i>	234, 241	—— <i>nambae</i>	129, 130
—— ——— f. <i>aidzuensis</i>	241	—— <i>ringens</i>	128
—— ——— var. <i>rufescens</i>	242	—— <i>seppikoense</i>	131
—— ——— var. <i>trisperma</i>	241	—— <i>undulatifolium</i>	128–130
—— <i>ferruginea</i>		—— ——— var. <i>limbatum</i>	130
—— ———	231, 232, 234–236, 238, 242, 243, 246, 249	—— ——— var. <i>undulatifolium</i>	130
—— ——— f. <i>pauciflora</i>	246	—— ——— var. <i>yosinagae</i>	130
—— ——— var. <i>bracteosa</i>	246	—— ——— subsp. <i>nambae</i>	130
—— <i>japonica</i>	241	—— ——— subsp. <i>undulatifolium</i>	130
—— <i>lineata</i>	231, 232, 236, 247, 249	—— ——— subsp. <i>uwajimense</i>	129, 130
—— <i>rufescens</i>	242	<i>Arisarum incavatum</i>	144
—— <i>trisperma</i>	231, 234, 241	<i>Aristolochia manshuriensis</i>	421
<i>Anaphalis margaritacea</i>	73, 81	<i>Arnica unalaschcensis</i>	81
<i>Andromeda polifolia</i>	100, 102, 111	<i>Artemisia</i>	74
<i>Androsace</i>	176	—— <i>capillaris</i>	419
<i>Anemone</i>	89	—— <i>unalaskensis</i>	81
—— <i>narcissiflora</i> subsp. <i>nipponica</i>	180	<i>Aruncus dioicus</i>	79
—— <i>sikokiana</i>	180	<i>Astragalus</i>	217–219, 225, 227
<i>Angelica</i>	74, 396	—— sect. <i>Amodendron</i>	224
—— <i>acutiloba</i>	396, 401, 402, 421	—— sect. <i>Brachycephalae</i>	218, 223, 224, 226
—— ——— var. <i>acutiloba</i>	402, 403	—— sect. <i>Bucerates</i>	224
—— ——— var. <i>iwatensis</i>	402, 403	—— sect. <i>Cyamodes</i>	224
—— ——— var. <i>sugiyamae</i>	401–403, 421	—— sect. <i>Euodmus</i>	226
—— <i>gmelinii</i>	82	—— sect. <i>Glycyphyllus</i>	224
—— <i>shikokiana</i>	402, 403	—— sect. <i>Synochreati</i>	224
—— <i>sinensis</i>	421	—— sect. <i>Tapinodes</i>	224
—— <i>stenoloba</i>	402, 403	—— sect. <i>Tragacantha</i>	224
—— ——— f. <i>lanceolata</i>	402, 403	—— sect. <i>Uliginosi</i>	218, 220, 223, 224, 226
<i>Apios</i>	231	—— <i>bhotanensis</i>	217–221–227, 229, 230
<i>Arabidopsis</i>	125	—— <i>boeticus</i>	220, 224
<i>Arabis serrata</i> var. <i>glauca</i>	79	—— <i>canadensis</i>	220, 223, 224, 226
—— <i>stelleri</i>	79	—— <i>cymbicarpus</i>	220, 224
<i>Arctericia nana</i>	80	—— <i>depressus</i>	220, 224
<i>Arctous alpina</i>	73, 75, 80	—— <i>edulis</i>	220, 224
<i>Arenaria</i>	176	—— <i>falcatus</i>	220, 224

— <i>fragrans</i>	220, 224
— <i>glycyphyllos</i>	220, 224
— <i>griffithii</i>	220, 224
— <i>hamosus</i>	220, 224
— <i>henryi</i>	224
— <i>koraiensis</i>	217–220, 222–227, 229, 230
— <i>odoratus</i>	220, 223, 224
— <i>oreganus</i>	220, 223, 224
— <i>schelichowii</i>	219, 222–224
— <i>sikokianus</i>	217–220, 222–230
— — var. <i>koraiensis</i>	227
— <i>tragacantha</i>	220, 224
— <i>uliginosus</i>	219, 222–224, 228
<i>Astrephomene</i>	345
— <i>gubernaculifera</i>	347, 349, 350
— <i>perforata</i>	347, 349, 350
<i>Atractylodes japonica</i>	421
— <i>macrocephala</i>	421
— <i>ovata</i>	421
<i>Aucklandia lappa</i>	421

B

<i>Barbarea orthoceras</i>	79
<i>Basichlamys</i>	345, 351
— <i>sacculifera</i>	347, 349, 350, 352
<i>Betula ermanii</i>	74
<i>Bistorta vivipara</i>	80
<i>Botrychium nipponicum</i>	19, 20
<i>Bucephalandra bogneri</i>	144, 145
— <i>forcipula</i>	143
<i>Bupleurum latissimum</i>	88

C

<i>Calamagrostis</i>	74
— <i>purpurea</i>	78
— <i>sesquiflora</i>	73, 78
<i>Campanula lasiocarpa</i>	81
— <i>punctata</i>	86
— <i>takesimana</i>	86
<i>Canarium</i>	326, 328, 329
— <i>amboinense</i>	328, 329
— <i>indicum</i>	328, 329
— <i>strictum</i>	326, 328, 329
<i>Cannabis sativa</i>	419
<i>Cardamine regeliana</i>	79
— <i>umbellata</i>	79
<i>Carex</i>	74, 75, 85
— <i>aequalta</i>	47, 48
— <i>flavocuspis</i>	77
— <i>gmelinii</i>	77
— <i>lachenalii</i>	75
— <i>lyngbyei</i>	77
— <i>pseudololiacea</i>	77
— <i>rariflora</i>	68, 75, 77
— <i>scita</i> var. <i>scabrinervia</i>	77

— <i>stylosa</i>	68, 75, 78
— <i>ushishirensis</i>	75, 78
— <i>vaginata</i>	78
<i>Carpinus tschonoskii</i>	59
<i>Cassia</i>	201, 202, 211–214
— <i>angustissima</i>	202
— <i>exilis</i>	213
— <i>flexuosa</i>	213
— <i>gracilior</i>	213
— <i>mimosoides</i>	202, 213
— — var. <i>nomame</i>	202, 212
<i>Cassiope lycopodioides</i>	80
<i>Celtis sinensis</i>	383
<i>Cerastium fischerianum</i>	73, 80
<i>Chaetoseris</i>	112, 114
<i>Chamaecrista</i>	201, 202, 211–214
— ser. <i>Flexuosae</i>	213
— sect. <i>Absus</i>	202, 212
— — subsect. <i>Baseophyllum</i>	202
— sect. <i>Apoucouita</i>	212
— sect. <i>Caliciopsis</i>	212
— sect. <i>Chamaecrista</i>	202, 212, 214, 216
— — ser. <i>Flexuosae</i>	213
— sect. <i>Xerocalyx</i>	212
— <i>absus</i>	202
— <i>flexusa</i>	213
— <i>mimosoides</i>	201–205, 207, 209, 211–214, 216
— <i>nomame</i>	201–204, 206, 207, 209–213, 216
<i>Chelonopsis yagiharanus</i>	4
<i>Chenopodium album</i>	75, 76, 80
<i>Chlamydomonas</i>	345, 346, 349, 351, 354
— <i>angulosa</i>	349, 352
— <i>asymmetrica</i>	349
— <i>callosa</i>	349
— <i>cribrum</i>	349, 351, 352
— <i>debaryana</i>	345, 347, 349–352, 354
— <i>fasciata</i>	349, 352
— <i>globosa</i>	349, 352
— <i>marvanii</i>	349, 351, 352
— <i>nasuta</i>	349, 351, 352
— <i>orbicularis</i>	349
— <i>parallelstriata</i>	349, 351, 352
— <i>reinhardtii</i>	345, 347, 349–352, 354
— <i>sphaeroides</i>	349, 352
— <i>typica</i>	349, 352
— <i>zebra</i>	349
<i>Chlorogonium</i>	351
<i>Chloromonas</i>	351
— <i>oogama</i>	349, 351
<i>Chlorosarciopsis</i>	349
<i>Chrysanthemum arcticum</i> subsp. <i>yezoense</i>	73, 74, 81
<i>Chrysosplenium kamtschaticum</i>	78
<i>Cicerbita</i>	112
— <i>alpina</i>	117
— <i>azurea</i>	117

— <i>bourgaei</i>	117	<i>Cremanthodium</i>	176
— <i>racemosa</i>	117	<i>Crepidiastrum</i>	84
— <i>roborowskii</i>	117	<i>Crypsinus</i>	334
<i>Cimicifuga dahurica</i>	421	<i>Cystopteris fragilis</i>	77
— <i>foetida</i>	421		
— <i>heracleifolia</i>	421		
— <i>simplex</i>	421	D	
<i>Circaea alpina</i>	79	<i>Dactylorhiza aristata</i>	77
<i>Cirsium</i>	179	<i>Dendroseris</i>	84
— <i>kamtschaticum</i>	81	<i>Dendrosonchus</i>	84
<i>Cladonia</i>	388, 393, 394	<i>Deschampsia</i>	74
— <i>acuminans</i>	392	— <i>cespitosa</i>	78
— <i>acuminata</i>	390, 392	— <i>flexuosa</i>	78
— <i>awasthiana</i>	388, 389, 395	<i>Diapensia lapponica</i> subsp. <i>obovata</i>	73, 75, 80
— <i>cartilaginea</i>	388, 393–395	<i>Dimorphanthera kempteriana</i>	100, 102, 111
— <i>ciliata</i>	392, 395	<i>Diospyros</i>	293, 294, 304
— <i>corymbescens</i>	394	— sect. <i>Diospyros</i>	293
— <i>diversa</i>	394	— <i>glabra</i>	305
— <i>fragosa</i>	388, 389*, 390, 395	— <i>glandulosa</i>	302, 304, 305
— <i>norrlinii</i>	392	— <i>glaucifolia</i>	299, 305, 306, 308
— <i>pseudodalcicornis</i>	394	— — var. <i>brevipes</i>	306, 308
— <i>pseudofissa</i>	394	— — var. <i>pubescens</i>	306, 308
— <i>pseudostellata</i>	394	— <i>japonica</i>	293, 295, 296, 299, 301, 304–306, 308
— <i>ramulosa</i>	389, 395	— f. <i>pseudolotus</i>	306
— <i>rei</i>	388–390, 395	— <i>kaki</i>	293–299, 304–306, 308, 310, 311
— <i>scabriuscula</i>	392	— — α. <i>silvestris</i>	295
— <i>siamea</i>	392	— — (var.) γ. <i>glabra</i>	294, 295, 299, 308
— <i>sinoaltaica</i>	388, 390*, 391, 392, 395	— — var. <i>domestica</i>	295, 296
— <i>sumatrana</i>	388, 392*, 393, 395	— — var. <i>glabra</i>	295, 305, 306
— <i>tixieri</i>	388, 393–395	— — var. <i>silvestris</i>	295, 296, 304
— <i>uncialis</i> subsp. <i>uncialis</i>	394	— <i>kika</i>	302
<i>Cladopus doianus</i>	5	— <i>kuroiwae</i>	296, 302, 306
— <i>japonicus</i>	5	— <i>lotus</i>	125, 293–296, 304, 305, 308, 309
<i>Clematis</i>	418	— — f. <i>ellipsoidea</i>	295
— <i>trifoliata</i>	418	— — f. <i>globosa</i>	295, 309
<i>Cnicus suffultus</i>	62	— — f. <i>ovoidea</i>	295
<i>Cnidium officinale</i>	421	— — var. <i>brideliifolia</i>	302
<i>Cochlearia officinalis</i> subsp. <i>oblongifolia</i>	73, 74, 79	— — var. <i>glabra</i>	295, 296, 306
<i>Colemanosphaera</i>	345	— — var. <i>laevis</i>	293, 302, 303, 305, 309*, 311
— <i>charkoviensis</i>	347, 349, 350	— — var. <i>lotus</i>	296, 309
<i>Colocasia</i>	168–170, 173	— — var. <i>mollissima</i>	309
— <i>esculenta</i>	168–170, 173	— — var. <i>typica</i>	295
— <i>gigantea</i>	168–170	— <i>microcarpa</i>	295, 296, 299, 300, 306
— <i>lihengiae</i>	168–170, 173	— <i>morrisiana</i>	293
— <i>menglaensis</i>	168–170, 173	— <i>oldhamii</i>	293
— <i>yunnanensis</i>	168–174	— <i>oleifera</i>	302, 304, 305
<i>Colocasiomyia</i>	147, 173	— <i>rhombofolia</i>	305
<i>Cologania</i>	231, 232	— <i>roxburghii</i>	295, 302, 304, 305
<i>Conioselinum chinense</i>	82	— <i>sichourensis</i>	306, 308
<i>Coptis trifolia</i>	78	— <i>virginiana</i>	294, 302, 304, 305
<i>Cordia</i>	327	<i>Diphasiastrum alpinum</i>	76
— <i>tiliifolia</i>	329	<i>Diplophyllum</i>	340, 343, 344
<i>Cornus suecica</i>	73, 80	— <i>apiculatum</i>	340, 343
<i>Corydalis</i>	176	— <i>domesticum</i>	340, 343
— <i>filistipes</i>	86	— <i>kinabaluense</i>	340*, 341, 342, 344
		— <i>nanum</i>	340, 343, 344

<i>Douinia</i>	343
— <i>ovata</i>	343
<i>Draba grandis</i>	79
<i>Drimys</i>	92
— <i>confertifolia</i>	91–93
<i>Dryopteris expansa</i>	77
<i>Dumasia</i>	231, 232
<i>Dysopsis hirsuta</i>	91, 92
<i>Dystaenia</i>	88
— <i>ibukiensis</i>	88, 90
— <i>takesimana</i>	88, 90

E

<i>Echium</i>	84
<i>Elaeagnus Numajiriana</i>	22
<i>Empetrum</i>	74
— <i>nigrum</i> var. <i>japonicum</i>	73, 80
<i>Epilobium hornemannii</i>	79
<i>Equisetum arvense</i>	77
<i>Erigeron</i>	84
<i>Eudorina</i>	345
— <i>elegans</i> var. <i>carteri</i>	347, 349, 350
— — var. <i>elegans</i>	347, 349, 350
— <i>illinoisensis</i>	347, 349–352
— <i>peripheralis</i>	347, 349, 350, 352
— <i>unicocca</i>	347, 349, 350, 352
<i>Euonymus japonicus</i> var. <i>longifolius</i>	22
— <i>Yoshinagae</i>	21, 22
<i>Euphorbia adenochlora</i>	47, 48
— <i>jolkinii</i>	62
<i>Euphrasia mollis</i>	81

F

<i>Faberia faberi</i>	117
— <i>nanchuanensis</i>	117
— <i>sinensis</i>	117
<i>Fagus engleriana</i>	89
— <i>japonica</i>	86, 87
— <i>multinervis</i>	86, 87
<i>Falcata comosa</i> var. <i>japonica</i>	241
— <i>edgeworthii</i>	239
— <i>japonica</i>	241
<i>Festuca</i>	74, 176
— <i>rubra</i>	78
<i>Ficus erecta</i> var. <i>Yamadorii</i>	22
<i>Filipendula</i>	74, 250, 252, 254, 255
— sect. <i>Albicoma</i>	254
— sect. <i>Albicomae</i>	250, 255
— sect. <i>Filipendula</i>	255
— sect. <i>Schalameya</i>	254, 255
— <i>angustiloba</i>	252, 254, 255
— <i>camschatica</i>	79, 250, 252, 254–256
— <i>formosa</i>	250, 252, 254, 255, 256
— <i>glaberrima</i>	250, 252, 254–256
— <i>kiraishiensis</i>	250, 252–256

— <i>multijuga</i>	250, 252–256
— — var. <i>ciliata</i>	252, 253, 255
— <i>occidentalis</i>	250, 252, 254, 256
— <i>palmata</i>	252, 254, 255
— <i>purpurea</i> var. <i>auriculata</i>	252, 253, 255
— <i>tsuguwoi</i>	250–254, 256
— <i>vestita</i>	250, 252, 253, 255, 256
— <i>yezoensis</i>	250, 252, 254–256
<i>Fritillaria camschatcensis</i>	73, 77
<i>Fuchsia</i>	326
<i>Fucus</i>	367

G

<i>Gagea serotina</i>	77
<i>Galium trifidum</i>	81
<i>Garcinia</i>	326
<i>Gentianella auriculata</i>	81
<i>Geranium</i>	74
— <i>erianthum</i>	73, 74, 79
<i>Geum calthifolium</i>	79
— <i>macrophyllum</i> var. <i>sachalinense</i>	79
<i>Ginkgo</i>	120–126
— <i>biloba</i>	120, 124, 125
<i>Glycine</i>	231, 232
— <i>bracteata</i>	238, 239
— <i>cylindriflora</i>	242, 246
— <i>ferruginea</i>	242, 246, 247
— <i>javanica</i>	241
— <i>monoica</i>	238, 241
<i>Gollania</i>	335, 336, 338
— <i>arisanensis</i>	336
— <i>cylindricarpa</i>	338
— <i>flagellata</i>	338
— <i>japonica</i>	337, 338
— <i>neckerella</i>	338
— <i>parva</i>	335*, 336–339
— <i>philippinensis</i>	338
— <i>robusta</i>	336
— <i>ruginosa</i>	335, 336, 338, 339
— <i>setschwanica</i>	338*
— <i>taxiphylloides</i>	336
— <i>tereticaulis</i>	336, 339
— <i>turgens</i>	338, 339
<i>Goniophlebium</i>	332–334
— <i>amoenum</i>	330, 332–334
<i>Gonium</i>	345, 352
— <i>multicoccum</i>	347, 349, 350
— <i>pectorale</i>	347, 349, 350
— <i>quadratum</i>	349
— <i>viridistellatum</i>	347, 349, 350
<i>Guettarda</i>	326

H

<i>Hemiflagellochloris kazakhstanica</i>	349
<i>Hepatica asiatica</i>	86–90

— <i>insularis</i>	86, 87	<i>Lysimachia europaea</i>	73, 80
— <i>maxima</i>	86–90		
<i>Heracleum lanatum</i>	82	M	
<i>Heterochlamydomonas</i>	346	<i>Macrodiervilla middendorffiana</i>	82
— <i>inaequalis</i>	349	<i>Macrothamnium</i>	335, 338
<i>Hippocratea</i>	326	— <i>setschwanicum</i>	335, 338
<i>Homalomena</i>	145	<i>Magnolia biondii</i>	421
<i>Honckenya peploides</i> var. <i>major</i>	80	— <i>denudata</i>	421
<i>Hosta</i>	10	— <i>heptapeta</i>	421
— <i>sieboldii</i>	47, 48	— <i>kobus</i>	421
<i>Hottarum kinabaluense</i>	156	— <i>salicifolia</i>	421
— <i>truncatum</i>	141	— <i>sprengerii</i>	421
<i>Huperzia miyoshiana</i>	76	<i>Maianthemum dilatatum</i>	73, 74, 77
— <i>selago</i>	76	<i>Malaxis monophyllos</i>	73, 77
<i>Hylodesmum</i>	232	<i>Mallotus</i>	326
— <i>longipes</i>	232	<i>Malus tschonoskii</i>	59
<i>Hypericum camtschaticum</i>	79	<i>Matsumurella</i>	29
		<i>Matthiola</i>	326
I		<i>Melanoseris</i>	112, 114–117, 119
<i>Ilex</i>	84	— <i>atropurpurea</i>	112, 116, 117, 119
<i>Illicium religiosum</i> var. <i>Masa-Ogatae</i>	22	— <i>cyanea</i>	117
<i>Isopyrum stoloniferum</i>	60	— <i>graciliflora</i>	112, 116, 117, 119
		— <i>henryi</i>	112–119
J		— <i>lessertiana</i>	112, 117
<i>Juncus haenkei</i>	73, 77	— <i>likiangensis</i>	112, 116, 117, 119
		— <i>lutea</i>	117
L		— <i>lyriformis</i>	117
<i>Lactoris fernandeziana</i>	87, 91	— <i>macrantha</i>	112, 116, 117, 119
<i>Lactuca</i>	112	— <i>macrorrhiza</i>	117
— <i>dolichophylla</i>	117	— <i>qinghaica</i>	117
— <i>henryi</i>	114, 118	— <i>souliei</i>	114
<i>Lawiella doiana</i>	5	— <i>tenuis</i>	112, 116, 117, 119
<i>Leymus mollis</i>	74, 78	— <i>violifolia</i>	117
<i>Ligusticum ajanense</i>	82	<i>Mertensia maritima</i> subsp. <i>asiatica</i>	81
— <i>chuangxiong</i>	421	<i>Micromega berkeleyi</i>	362
— <i>scoticum</i>	82	<i>Moehringia lateriflora</i>	80
<i>Lilium debile</i>	77	<i>Montia fontana</i>	80
<i>Limnorchis chorisiana</i>	77	<i>Mulgedium</i>	112
— <i>convallariifolia</i>	77	— <i>bracteatum</i>	117
<i>Linnaea borealis</i>	82	<i>Myagropsis</i>	365
<i>Lobomonas monstrosa</i>	348, 349, 350	<i>Myrceugenia</i>	91, 92
— <i>rostrata</i>	346, 349, 351, 352	— <i>colchaguensis</i>	93
— <i>sphaerica</i>	349, 351, 352	— <i>fernandeziana</i>	91–93
<i>Loiseleuria procumbens</i>	80	— <i>schulzei</i>	91, 93
<i>Lonicera caerulea</i> subsp. <i>edulis</i>	82		
<i>Lonicera tschonoskii</i>	59	N	
<i>Luzula arcuata</i> subsp. <i>unalaschkensis</i>	77	<i>Navicula</i>	355
— <i>capitata</i>	77	— <i>delognei</i>	362
— <i>jimboi</i>	77	— <i>protracta</i>	362
— <i>kjellmanniana</i>	73, 77	— <i>protractoides</i>	362
— <i>oligantha</i>	77	— <i>rhombica</i>	362
— <i>tundricola</i>	77	<i>Neochlorosarcina sempervirens</i>	349
<i>Lycopodium annotinum</i>	76	<i>Neolindleya camtschatica</i>	77
— <i>clavatum</i>	76	<i>Nicotiana</i>	125
— <i>obscurum</i>	76	<i>Notoseris henryi</i>	117

— <i>porphyrolepis</i>	117
— <i>psilolepis</i>	117
— <i>rhombiformis</i>	117
— <i>scandens</i>	117
— <i>triflora</i>	117
— <i>yakoensis</i>	117

O

<i>Oldenlandia diffusa</i>	415
<i>Ooia</i>	138–141, 143, 145, 159, 163, 165, 167
— <i>altar</i>	138–140, 141*, 142, 143, 145, 165, 167
— <i>basalticola</i>	138–140, 143*, 144, 146, 165, 167
— <i>glans</i>	138, 139, 141, 145*, 147, 148, 165, 167
— <i>grabowskii</i>	138–140, 148–152, 165, 167
— <i>havilandii</i>	138, 140, 149*, 153, 154, 161, 163, 165, 167
— <i>kinabaluensis</i>	139, 140, 155, 156, 159, 165
— <i>manduensis</i>	138, 139, 156*, 158, 165, 167
— <i>paxilla</i>	139, 140, 144, 156, 159–161, 165
— <i>secta</i>	138, 140, 153, 161*, 162, 163, 165, 167
— <i>suavis</i>	138, 140, 163*, 164–167
<i>Ophiopogon japonicus</i>	419
<i>Oxyria digyna</i>	80
<i>Oxytropis rechingeri</i>	220, 224
— <i>takhti-soleimanii</i>	220, 224

P

<i>Paeonia lactiflora</i>	419
<i>Panax ginseng</i>	396, 405, 419
<i>Pandorina</i>	345
— <i>morum</i>	347, 349, 350
<i>Paphia</i>	99, 100
— <i>meiniana</i>	102, 111
— <i>stenantha</i>	102, 111
<i>Paraprenanthes diversifolia</i>	117
— <i>leptantha</i>	117
— <i>melanantha</i>	117
— <i>meridionalis</i>	117
— <i>prenanthoides</i>	117
— <i>sororia</i>	117
— <i>triflora</i>	117
— <i>wilsonii</i>	117
— <i>yunnanensis</i>	117
<i>Parasenecio kamschaticus</i>	73, 82
<i>Parasyncalathium souliei</i>	114, 116, 117
<i>Parlibellus</i>	355, 362
— <i>berkeleyi</i>	362
— <i>delognei</i>	362
— <i>latirostris</i>	355, 356, 357*, 358–363
— <i>phoebeae</i>	362
— <i>protracta</i>	355, 361–363
— <i>protractoides</i>	355, 361–363
— <i>rhombicus</i>	362
<i>Parnassia</i>	176
— <i>palustris</i>	79

<i>Paulschulzia pseudovolvox</i>	346, 348, 349, 350
<i>Paxillus giganteus</i>	5
<i>Pedicularis chamissonis</i>	73, 74, 76
— <i>labradorica</i>	81
<i>Pennellianthus frutescens</i>	81
<i>Pertya ovata</i>	62
<i>Petasites japonicus</i> subsp. <i>giganteus</i>	82
<i>Peucedanum japonicum</i>	402
<i>Phaseolus</i> subg. <i>Amphicarpa</i>	238
— subg. <i>Amphicarpacea</i>	238
<i>Phragmites australis</i>	48
<i>Phyllanthus</i>	257, 258, 263–265, 284–286, 289
— subsect. <i>Urinaria</i>	289
— sect. <i>Adenoglochidion</i>	287
— sect. <i>Anisonema</i>	286, 287, 289
— sect. <i>Ceramanthus</i>	288, 290
— sect. <i>Cicca</i>	287
— sect. <i>Emblia</i>	285–287
— sect. <i>Embliscastrum</i>	288
— sect. <i>Eriococcodes</i>	288
— sect. <i>Eriococcus</i>	288, 290
— sect. <i>Floribundi</i>	286
— sect. <i>Gomphidium</i>	284, 286
— sect. <i>Macraea</i>	288, 289
— sect. <i>Nymania</i>	287
— sect. <i>Paraphyllanthus</i>	284, 286
— sect. <i>Phyllanthodendron</i>	286
— sect. <i>Phyllanthus</i>	285, 286, 290
— sect. <i>Scepasma</i>	288
— sect. <i>Urinaria</i>	285–287, 289
— subg. <i>Botryanthus</i>	289
— subg. <i>Emblia</i>	284–287
— — sect. <i>Microglochidion</i>	285
— subg. <i>Eriococcus</i>	288–290
— subg. <i>Gomphidium</i>	284, 286, 287
— — sect. <i>Adenoglochidion</i>	265, 289
— — sect. <i>Gomphidium</i>	265, 284
— — sect. <i>Nymania</i>	265, 289
— subg. <i>Gomphocarpus</i>	289
— subg. <i>Isocladus</i>	284, 286, 288
— — sect. <i>Ceramanthus</i>	283, 289
— — sect. <i>Macraea</i>	265, 289
— — sect. <i>Paraphyllanthus</i>	284
— subg. <i>Kirganelia</i>	286, 287, 289, 290
— — sect. <i>Anisonema</i>	265, 284, 289
— — sect. <i>Cicca</i>	265, 289
— subg. <i>Phyllanthodendron</i>	284–286
— — sect. <i>Phyllanthodendron</i>	285
— subg. <i>Phyllanthus</i>	284–287, 290
— — sect. <i>Urinaria</i>	289
— subg. <i>Xylophylla</i>	289
— <i>acidus</i>	259, 287
— <i>acinacifolius</i>	258, 268, 284, 286
— <i>acutissimus</i>	262, 282, 283, 288, 290
— <i>aeneus</i>	260, 265, 275, 284, 289

— <i>albidiscus</i>	261, 280, 283, 288, 289	— <i>pulchroides</i>	261, 288
— <i>amarus</i>	258, 266, 283, 285, 286	— <i>pullenii</i>	260, 287
— <i>aphanostylus</i>	261, 265, 276, 284, 287, 289	— <i>ramosii</i>	260, 287, 289
— <i>ardisianthus</i>	260, 287	— <i>reticulatus</i>	260, 287, 289
— <i>attenuatus</i>	290	— <i>rheophilus</i>	260, 287
— <i>balgooyi</i>	262, 288	— <i>ridleyanus</i>	259, 286
— <i>benguetensis</i>	258, 286	— <i>roseus</i>	259, 269, 284–286
— <i>bourgeoisii</i>	260, 287	— <i>rosselensis</i>	260, 287
— <i>brasiliensis</i>	290	— <i>rubriflorus</i>	261, 265, 277, 284, 287, 289
— <i>buxifolius</i>	262, 282, 283, 288	— <i>samarensis</i>	261, 265, 278, 283, 288
— <i>caesius</i>	260, 287	— <i>securinegioides</i>	259, 270, 284, 286
— <i>casticum</i>	259, 265, 274, 284, 289	— <i>sibuyanensis</i>	262, 288
— <i>chamaepeuce</i>	258, 268, 286	— <i>sikkimensis</i>	262, 288
— <i>ciccoides</i>	260, 274, 287	— <i>stultitiae</i>	258, 286
— <i>clamboides</i>	260, 287	— <i>submarginalis</i>	259, 286
— <i>cochinchinensis</i>	261, 280, 283	— <i>tabularis</i>	261, 265, 277, 284, 287, 289
— <i>collinsae</i>	259, 271, 284, 286	— <i>tagulae</i>	260, 287
— <i>columnaris</i>	259, 273, 285, 287	— <i>tenellus</i>	259, 269, 284, 286
— <i>cupuliformis</i>	274	— <i>tenuipes</i>	261, 265, 278, 283, 288
— <i>cuscutiflorus</i>	260, 287	— <i>tenuirhachis</i>	260, 275, 287
— <i>debilis</i>	258, 285, 286	— <i>triphebius</i>	259, 271, 272, 284, 286, 290
— <i>dinklagei</i>	290	— <i>urinaria</i>	258, 259, 268, 284–286, 289
— <i>effusus</i>	260, 276, 287	— — subsp. <i>nudicarpus</i>	259, 286
— <i>emblica</i>	259, 264, 273, 284, 285, 287	— — subsp. <i>urinaria</i>	258
— <i>erythrotrichus</i>	258, 266, 283, 285, 286	— <i>virgatus</i>	261, 265, 279, 283, 288
— <i>filicifolius</i>	262, 281, 283, 288, 290	— <i>warburgii</i>	261, 287, 289
— <i>finschii</i>	260, 287	— <i>watsonii</i>	262, 288
— <i>flaviflorus</i>	258, 268, 286	— <i>winitii</i>	262, 288
— <i>gjellerupii</i>	260, 287	— <i>womersleyi</i>	261, 288
— <i>glochidioides</i>	259, 270, 284, 286	— <i>zollingeri</i>	262, 288
— <i>gomphocarpus</i>	261, 262, 281, 288	<i>Picea koraiensis</i>	4
— <i>gracilipes</i>	261, 262, 288	<i>Pichisermollodes</i>	332, 334
— <i>hookeri</i>	259, 264, 265, 272, 284, 287, 289	<i>Picris hieracioides</i> subsp. <i>kamtschatica</i>	82
— <i>hullettii</i>	262, 281, 288	<i>Pinellia ternata</i>	419
— <i>kinabaluicus</i>	262, 281, 283, 288, 290	<i>Pinguicula macroceras</i>	81
— <i>kostermansii</i>	258, 286	<i>Pinus pumila</i>	74
— <i>lamprophyllus</i>	262, 288	— <i>thunbergii</i>	383
— <i>lanceifolius</i>	261, 288	<i>Piptospatha</i>	138, 141 159, 167
— <i>maderaspatensis</i>	258, 267, 284–286	— <i>burbridgei</i>	141
— <i>maritimus</i>	260, 265, 274, 284, 287, 289	— <i>grabowskii</i>	139, 148
— <i>megalanthus</i>	262, 288	— <i>havilandii</i>	138, 149, 167
— <i>merinthopodus</i>	260, 275, 287	— <i>kinabaluensis</i>	156
— <i>microcarpus</i>	258, 267, 284, 286, 289	— <i>manduensis</i>	138, 156, 159, 167
— <i>mindorensis</i>	262, 288	— <i>viridistigma</i>	145
— <i>novae-hollandiae</i>	258, 286	<i>Plantago camtschatica</i>	81
— <i>nozeranii</i>	258, 286	<i>Platycodon grandiflorum</i>	419
— <i>ovatifolius</i>	260, 265, 276, 284, 287	<i>Platydorina</i>	345
— <i>oxyphyllus</i>	259, 264, 265, 273, 284, 285, 287	— <i>caudata</i>	347, 349, 350
— <i>panayensis</i>	261, 265, 279, 283, 288	<i>Pleodorina</i>	345
— <i>paniculatus</i>	260, 287	— <i>californica</i>	347, 349–351
— <i>papuanus</i>	260, 261, 265, 275, 284, 287	— <i>japonica</i>	347, 349, 350
— <i>pectinatus</i>	259, 270, 285, 286	— <i>starrii</i>	348–350
— <i>poli-borealis</i>	258, 286	— <i>thompsonii</i>	348–350, 353
— <i>praelongipes</i>	260, 287	<i>Plukenetia</i>	326
— <i>pulcher</i>	261, 280, 283, 288, 290	<i>Poa</i>	74, 175

— <i>annua</i>	175, 177
— <i>arctica</i>	78
— <i>ketoensis</i>	78
— <i>macrocalyx</i>	78
— <i>malacantha</i>	78
— <i>muktinathensis</i>	175*, 176, 177
— <i>palustris</i>	78
— <i>pseudamoena</i>	175, 177
— <i>radula</i>	78
— <i>turneri</i>	78
<i>Polypodiodes</i>	332, 334
<i>Polypodium</i>	334
<i>Polystichum braunii</i>	77
— <i>microchlamys</i>	77
<i>Potentilla fragiformis</i> subsp. <i>megalantha</i>	79
<i>Prenanthes</i>	112
<i>Primula cuneifolia</i>	73–75, 80
— <i>takedana</i>	5
<i>Prunus armeniaca</i>	419
— — var. <i>ansu</i>	419
— <i>persica</i>	419
— — var. <i>davidiana</i>	419
— <i>sibirica</i>	419
<i>Pterocypsela formosana</i>	117
— <i>sonchus</i>	117
<i>Pueraria anabaptista</i>	247
— <i>ferruginea</i>	242
<i>Pyrus tschonoskii</i>	59

Q

<i>Quercus acutissima</i>	383
---------------------------	-----

R

<i>Ramalina</i>	376–378, 380, 385
— <i>almquistii</i>	376–378, 380, 381, 386
— <i>consanguinea</i>	384, 387
— <i>intestiniiformis</i>	376, 378, 380, 381*, 382, 385, 386
— <i>kurokawae</i>	376–378, 380, 381, 384, 386
— <i>litoralis</i>	377, 378, 380
— <i>peruviana</i>	377, 378, 380
— <i>pollinaria</i>	377, 378, 380, 385, 387
— <i>sekika</i>	377, 379, 380
— <i>siliquosa</i>	377, 379, 380
— <i>sphaerophora</i>	376, 379–381, 383*, 384, 385, 386
— <i>tapperi</i>	384, 387
— <i>yasudae</i>	376, 379–381, 383, 384, 386
<i>Randia</i>	326
<i>Ranunculus grandis</i> var. <i>austrokurilensis</i>	73, 78
— <i>repens</i>	78
<i>Rhaphithamnus spinosus</i>	92, 93
— <i>venustus</i>	91–93
<i>Rheedia</i>	326
<i>Rhodiola</i>	176
— <i>rosea</i>	73, 74, 78
<i>Rhododendron</i>	383

— <i>albrechtii</i>	56
— <i>aureum</i>	73, 75, 80
— <i>tschonoskii</i>	59
— <i>weyrichii</i>	62
<i>Rhynchopyle grabowskii</i>	148, 151, 152
— <i>havilandii</i>	138, 149, 167
<i>Robinsonia</i>	84, 92
— <i>evenia</i>	92, 93
— <i>masafuerae</i>	91–93
<i>Rosa rugosa</i>	79
<i>Rubus</i>	74, 252
— <i>arcticus</i>	79
— <i>caesius</i>	252
— <i>chamaemorus</i>	68, 73–75, 79
— <i>idaeus</i>	252
<i>Rumex acetosa</i>	47, 48
— <i>alpestris</i> subsp. <i>lapponicus</i>	73, 80
— <i>nikoensis</i>	22
<i>Rumphia</i>	326–329
— <i>amboinensis</i>	326, 328, 329
— <i>tiliaefolia</i>	329
— <i>tiliifolia</i>	329

S

<i>Saccharina japonica</i>	364
<i>Sagina maxima</i>	80
— <i>saginoides</i>	80
<i>Salix</i>	74
— <i>hidakamontana</i>	79
— <i>kurilensis</i>	79
— <i>nakamura</i>	73, 74, 79
<i>Sargassum</i>	364–367, 369, 370
— sect. <i>Halochloa</i>	370
— sect. <i>Repentia</i>	370
— sect. <i>Spongocarpus</i>	370
— sect. <i>Teretia</i>	370
— subg. <i>Arthrophyucus</i>	366, 367
— subg. <i>Bactrophyucus</i>	366, 367, 370
— subg. <i>Phyllotrichia</i>	366, 367
— subg. <i>Sargassum</i>	366, 367
— subg. <i>Schizophycus</i>	366
— <i>alternato-pinnatum</i>	366, 369, 370
— <i>aquifolium</i>	371
— <i>araii</i>	370
— <i>assimile</i>	367
— <i>autumnale</i>	370
— <i>boreale</i>	371
— <i>bulbiferum</i>	370
— <i>carpophyllum</i>	366, 369
— <i>confusum</i>	367
— <i>crassifolium</i>	371
— <i>crispifolium</i>	366, 369, 370
— <i>cristaefolium</i>	371
— <i>denticarpum</i>	371
— <i>duplicatum</i>	371

— <i>citrinus</i>	180, 194, 195, 200
— <i>dshungaricus</i>	179
— <i>europaeus</i>	179
— <i>hondoensis</i>	179, 180, 188, 199, 200
— — var. <i>akiyamae</i>	188
— <i>japonicus</i>	178, 192, 193, 196, 198, 200
— — f. <i>peduncularis</i>	192
— — f. <i>shinanensis</i>	195
— <i>kurilensis</i>	192, 194
— <i>ledebourii</i>	178, 189, 192, 200
— — var. <i>polysepalus</i>	178, 189, 192, 200
— <i>membranostylis</i>	193
— <i>miyabei</i>	193
— <i>nishidae</i>	194
— <i>patulus</i> var. <i>sibiricus</i>	193
— <i>pulcher</i>	187, 192
— <i>pumilus</i>	179
— <i>rebunensis</i>	178–180, 189*, 190–192, 200
— <i>riederianus</i>	73, 78, 178, 180, 184, 189, 192, 195, 198–200
— — var. <i>citrinus</i>	194
— — var. <i>japonicus</i>	192, 195, 196, 200
— — var. <i>nishidae</i>	194
— — var. <i>pulcher</i>	187
— <i>schipczinskyi</i>	193
— <i>shinanensis</i>	178, 180, 181, 188, 191, 195*, 196–200
— <i>soyaensis</i>	178, 180, 181*, 182–184, 199, 200
— <i>teshioensis</i>	178, 180, 181, 184*, 185, 186, 199, 200
<i>Tsientani</i>	328
<i>Turbinaria</i>	365

U

<i>Undaria pinnatifida</i>	364
<i>Urtica platyphylla</i>	79
<i>Utricularia australis</i>	314
— <i>dimorphantha</i>	314, 315, 317, 320, 321, 323
— <i>×japonica</i>	314
— <i>macrorhiza</i>	314
— <i>ochroleuca</i>	314

V

<i>Vaccinium</i>	74, 99, 100, 102, 104
— <i>amamianum</i>	102, 111
— <i>bulleyanum</i>	102, 111
— <i>fragile</i>	102, 111
— <i>gaultheriifolium</i>	99, 100, 102, 111
— <i>leucobotrys</i>	102, 111
— <i>nummularia</i>	99, 100, 102
— <i>oxycoccus</i>	102, 105, 111
— <i>scopulorum</i>	102, 111
— <i>uliginosum</i> var. <i>alpinum</i>	68, 73–75, 81
— <i>vitis-idaea</i>	81
<i>Vahlodea flexuosa</i>	78
<i>Veronica stelleri</i>	73, 81
<i>Viola</i>	85
— <i>biflora</i>	79
— <i>crassa</i> subsp. <i>borealis</i>	79
<i>Vitreochlamys</i>	345, 346, 349, 354
— <i>aulata</i>	345–347, 349–352, 354
— <i>fluviatilis</i>	346, 349
— <i>gloeocystiformis</i>	346, 349, 352
— <i>nekrassovii</i>	346
— <i>ordinata</i>	345–347, 349, 350, 352, 354
— <i>punguis</i>	345–347, 349, 350, 352, 354
<i>Volvax</i>	345
— <i>aureus</i> var. <i>aureus</i>	348–350
— <i>carteri</i>	346
— — f. <i>nagariensis</i>	348–350
— <i>gigas</i>	348–350
— <i>globator</i>	348–350
— <i>tertius</i>	348–351
<i>Volvulina</i>	345
— <i>compacta</i>	348–350
— <i>steinii</i>	348–350

W

<i>Wikstroemia ellipsocarpa</i>	62
---------------------------------	----

Y

<i>Yamagishiella</i>	345
— <i>unicocca</i>	348–350

Other Names その他の名称

Polynomial designations (phrase-names) and binary designations found only on herbarium sheets or cited in literature only as synonyms are listed in here.

Angelica	A	396	vulgo Kaki	V	294
Brown Algae	B	364	阿膠 甘茶 安石榴	ア	400 51 399
Caucasian persimmon	C	125			
<i>Diospyros kaki</i> β. <i>Sina no Kaki</i>	D	295, 299, 305, 306	威靈仙 インチンコウ 茵陳蒿 淫羊藿	イ	399 419 399 399
Futo Gaki	F	294, 296			
ginseng	G	396, 406–409	茴香 茴香子 鬱金 宇陀芍薬 梅 烏薬	ウ	399, 400 399 399 398, 400 399 399
Jamma Kaki	J	294, 296			
Japanese Angelica		396			
Kaki	K	294	延胡索	エ	399
Kinéri Gaki		294	槐		399
lichen	L	388, 389, 392	黄耆 黄芩 黄精 黄柏 黄檗 王不留行 黄连 御種人參 遠志	オ	399 399 399 400 399 399 399, 400 398 399
<i>Myxa pyriformis</i> <i>ossiculo trispermo</i>	M	327			
Ohatsuki Icho	N	120–126			
Ono Kaki		294			
<i>Reinhardtinia</i>	R	345–352, 354			
Si	S	294	艾葉 加賀黄連 柿 何首烏 括樓 括樓根 枳 唐川芎 唐当歸 花梨 河原柴胡 甘遂	カ	399 398, 400 399 399 399 400 399 399 401 399 399 399
Sina no Kaki		294, 296, 308			
Ssibu Kaki		294			
tani	T	328			
Toki		396			
Tsjem-tani		327, 329			

韓当帰	401		シ	
関木通	421	梓		399
		紫苑		399
キ		紫蘇		399
鬼臼	399	紫草		399
キキョウ	419	紫大戟		399
桔梗	398, 399	地黄		398, 399, 420
菊	399	シャクヤク		419
耆草	399	芍薬		399, 400
キノコ	5	沙参		399
及己	399	車前		399
杏	399	楸		399
キョウニン	419	生姜		400
菌桂	399	樟脳		52, 398, 400
ギンナン	127	小蘗		399
		ショウマ		421
ク		升麻		399, 420
枸杞	399	商陸		399
苦参	399	徐長卿		399
管棲珪藻	363	シンイ		421
桑	399	辛夷		399
君遷子	296	秦艽		399
		真羌活		399
ケ		信州大黄		52
ケイガイ	419	真升麻		399
荊芥	399		セ	
桂皮	400			
牽牛子	399	接骨木		399
拳参	399	センキュウ		421
玄参	399	川芎		399, 400
コ			ソ	
香附子	398-400	蒼朮		399
厚朴	14, 400	艸豆蔻		399
胡黄連	399	続随子		399
五加	399		タ	
牛膝	399			
呉茱萸	51, 398-400	大茴香		400
胡荽	399	大黄		399
五葉覆盆	399	大薊		399
		橙		399
サ		沢瀉		399
柴胡	399, 400, 420	竹		6
細辛	399	胆礬		400
薺苳	399		チ	
筐	6			
薩摩防風	399	竹節人参		399
山梔子	399	知母		399
三七	399	朝鮮人参		398-400
山茱萸	399, 400	釣藤		399
山椒	398-400	陳皮		400
酸棗	399		テ	
酸棗仁	399	天麻		399
		天南星		399

天門冬	399		ホ	
		ボウイ		419
		防己		400
ト		茅根		400
トウキ	421	防風		397-399
当帰	399, 400, 420	牡丹皮		400
冬葵子	399			
トウニン	419			
桃仁	400		マ	
杜仲	399	麻黄		399
杜衡	399	マシニン		419
		馬鞭草		399
		曼陀羅華		399
ナ				
棗	399			
			モ	
		モク		365
ニ		木通		400, 418, 421
日式当帰	401	木槩		399
ニンジン	419	モッコウ		421
人參	397, 399, 400, 405	木香		399, 421
		桃		399
ハ				
貝母	399			
バクモンドウ	419		ヤ	
麦門冬	399, 400, 420	益母草		399
薄荷	399	山城当帰		398, 400
ハンゲ	419	大和川芎		398, 400
半夏	398-400			
			ヨ	
		楊梅		399
ヒ		薏苡仁		400
裨柿	304			
ビャクジュツ	421			
白朮	399, 421		リ	
白薇	399	竜胆		399
百部根	399	良姜		399
白斂	399	藜蘆		399
			ロ	
フ				
附子	399, 400	鹿茸		400
茯苓	398, 400			
			ワ	
		和川芎		399
ヘ				
紅花	399			